

1993 EC&M INDEX

Articles by Month

Article title	Dept	Page	Article title	Dept	Page
JANUARY					
How the new Energy Law will affect you	ED	7	World Trade Center update	F	37
Introductions and definitions—Articles 90 and 100	QC	14	Electrical contractor specializes in lighting retrofits	F	43
New monitors for existing power distribution systems	ID	16	Testing reveals surprising kfactor diversity	F	51
How the new Energy Law affects your motors	MF	17	Avoid the pitfalls of lighting retrofit	F	59
Single point grounds and electronic drives	PQ	22	Infrared scanning key to Telco preventive maintenance program	PM	64
Nonmetallic constructions in hazardous locations	WS	26	Integrated monitoring, protection, and control system detects problems at West Coast aircraft plant	PM	64
Hipot tests assure power cable reliability	F	33	Is a 3-pole or 4-pole transfer switch best?	RQ	68
Choosing the right transformer — Part 4	F	43	Metering common area circuits	CF	72
Replacement snowmelt system serves pedestrian bridge	PM	52	Handy charts simplify short-circuit current determination	BB	78
Office tower floodlighting brightens Chicago's nightscape	PM	52	Interpretation on utility work not issued	CW	102
Can dimmer switches be wired with power on?	RQ	54			
Paralleled equipment grounding conductors	CF	56	MAY		
Basic calculation shortcut	BB	60	Seminar programs: why you should attend	ED	11
1992 editorial index		65	Branch circuits — Article 210	QC	20
New leadership for the NEC committee	CW	74	Harmonics: a systems related problem	PQ	22
			Common causes of vibration — Part 4	MF	32
FEBRUARY			Make sure your hardware meets Category 5 requirements	ID	42
Who do you believe?	ED	7	Selecting and operating aerial work platforms	WS	48
New power quality consensus standard	PQ	14	On-site power slashes plant power bill	F	55
Requirements for electrical installations—Articles 110	QC	16	Winning the lighting retrofit game	F	65
Understanding vibration analysis for longer motor life — Part 1	MF	18	The how and why of k-rated transformers	F	79
Twistedpair cable can support 100 megabits/sec speed	ID	22	Solid-state starters prevent motor burnout from single phasing	PM	84
Power quality, how bad is bad?	WS	26	Ultrasonic detection equipment used by electrical testing and maintenance firm	PM	84
Designing branch circuits for the computerintensive office	F	35	Where is data on low-voltage DC components?	RQ	86
Applying voltage surge suppression devices	F	47	The basics of voltage drop calculations - Part 1	BB	90
Harmonics terminology: fact and fiction	F	61	What you should know about fiber optics	F	96
Green lights program formula boosts lighting efficiency	PM	68	Communications system rewiring expands capabilities	F	111
Receptacles near outdoor spas	CF	74	The new TIA/EIA standards: well needed direction	F	117
Is there a difference between AC and DC ampacity?	RQ	70	Figuring multiple elevator loads on a feeder	CF	124
The basics of conductor areas	BB	78	NFPA Board of Directors hears appeal on LWA cable	CW	178
TIA on lightweight armored cable rejected	CW	98			
			JUNE		
MARCH			Reliability depends on good design, installation, maintenance	ED	11
Trade Center blast — they were lucky!	ED	11	Power monitoring and control systems: a generic laundry list	ID	14
Common causes of vibration — Part 2	MF	17	Feeders — Article 215	QC	20
Fire protection engineering and NICET certification	ID	16	Capacitance and resulting resonance	PQ	22
Use and identification of grounded conductors — Article 200	QC	22	Exit light fluorescent retrofit kits: points to consider	WS	32
Beware of corruption of computer signal systems	PQ	26	Common causes of vibration — Part 5	MF	43
New factory sealing methods for hazardous locations, using nonmetallic materials	WS	30	Field proof testing of MV cables	F	49
Update on the new fluorescent ballast designs	F	36	What to ask about electronic ballasts	F	55
Transformer failures: what options do you have?	F	55	The k factor: clearing up its mystery	F	65
Magnetic fields from water pipes	F	63	Transient voltage surge suppressor system serves lab	PM	78
Retrofitting loudspeakers in an existing paging system	F	73	Telecommunications wiring uses "flexible" patch panels	PM	78
Safety switches stand up to tough mine environment	PM	82	Restoring a power system in record time	PM	84
Lighting retrofits gain high marks in Ohio schools' energy conservation program	PM	82	What is the proper capacity for MV drain wire?	RQ	86
Advanced lighting system used in recycled building	PM	84	How can low-voltage switches have better contact?	RQ	86
Hospital cures costly computer crashes with UPS array	PM	84	Are voltage testers blowing up?	RQ	86
UTP cable has 100 Mb/s capability	PM	84	Conductor fill in boxes	CF	88
Medical center uses manufactured cable sets	PM	86	The basics of voltage drop calculations - Part 2	BB	92
Can demand/diversity factors be used to size a generator supply?	RQ	88	New test lab markings	CW	98
Comment: UL does not test devices containing MOVs	RQ	90			
Does Table 310-16 always apply?	CF	92	JULY		
The basics of short-circuit current calculations	BB	98	Developing quality lighting design in an era of energy legislation	ED	11
Draft reinspection code open for comment	CW	122	Lightning, MG sets, and power protection	PQ	16
			Branch circuit and feeder calculations — Article 220	QC	22
APRIL			Beware of inconsistent Code rules on "safe" working space at grouped motor starters	CC	26
Be careful what you ask for	ED	11	Field programming life safety systems	ID	32
Branch circuits — Article 210	QC	16	Circuit breaker designs for LV wye and delta systems	WS	37
Long term power disturbance solutions other than a UPS	PQ	18	Retrofitting aged 35kV switchgear	MF	42
How EPA's "Green Lights" Program works	ID	26	Corrosion protection and the NEC	F	47
Common causes of vibration — Part 3	MF	22	Bringing back the electrical systems at the WTC	F	59
What to know about digital multimeters	WS	32	Temporary cooling equipment—NYC's World Trade Center	PM	62
			Office atrium "activated" with light columns	PM	62

KEY

AT = Applied Technologies • BB = Back To Basics • CC = Code Controversy Corner • CF = Code Forum
 CW = Electrical Code Watch • DS = Data Sheet • ED = Thoughts from our shop • F = Feature Article
 ID = Industry Dimensions • MF = Motor Facts or Maintenance Facts • PM = Practical Methods • PQ = PQ Corner
 QC = Quizzes on the Code • RQ = Readers Quiz • TC = Telecom Corner • WS = What's the Story

1993 EC&M INDEX

Articles by Month

Article title	Dept	Page	Article title	Dept	Page
JANUARY					
How the new Energy Law will affect you	ED	7	World Trade Center update	F	37
Introductions and definitions—Articles 90 and 100	QC	14	Electrical contractor specializes in lighting retrofits	F	43
New monitors for existing power distribution systems	ID	16	Testing reveals surprising kfactor diversity	F	51
How the new Energy Law affects your motors	MF	17	Avoid the pitfalls of lighting retrofit	F	59
Single point grounds and electronic drives	PQ	22	Infrared scanning key to Telco preventive maintenance program	PM	64
Nonmetallic constructions in hazardous locations	WS	26	Integrated monitoring, protection, and control system detects problems at West Coast aircraft plant	PM	64
Hipot tests assure power cable reliability	F	33	Is a 3-pole or 4-pole transfer switch best?	RQ	68
Choosing the right transformer — Part 4	F	43	Metering common area circuits	CF	72
Replacement snowmelt system serves pedestrian bridge	PM	52	Handy charts simplify short-circuit current determination	BB	78
Office tower floodlighting brightens Chicago's nightscape	PM	52	Interpretation on utility work not issued	CW	102
Can dimmer switches be wired with power on?	RQ	54			
Paralleled equipment grounding conductors	CF	56	MAY		
Basic calculation shortcut	BB	60	Seminar programs: why you should attend	ED	11
1992 editorial index		65	Branch circuits — Article 210	QC	20
New leadership for the NEC committee	CW	74	Harmonics: a systems related problem	PQ	22
			Common causes of vibration — Part 4	MF	32
FEBRUARY			Make sure your hardware meets Category 5 requirements	ID	42
Who do you believe?	ED	7	Selecting and operating aerial work platforms	WS	48
New power quality consensus standard	PQ	14	On-site power slashes plant power bill	F	55
Requirements for electrical installations—Articles 110	QC	16	Winning the lighting retrofit game	F	65
Understanding vibration analysis for longer motor life — Part 1	MF	18	The how and why of k-rated transformers	F	79
Twistedpair cable can support 100 megabits/sec speed	ID	22	Solid-state starters prevent motor burnout from single phasing	PM	84
Power quality, how bad is bad?	WS	26	Ultrasonic detection equipment used by electrical testing and maintenance firm	PM	84
Designing branch circuits for the computerintensive office	F	35	Where is data on low-voltage DC components?	RQ	86
Applying voltage surge suppression devices	F	47	The basics of voltage drop calculations - Part 1	BB	90
Harmonics terminology: fact and fiction	F	61	What you should know about fiber optics	F	96
Green lights program formula boosts lighting efficiency	PM	68	Communications system rewiring expands capabilities	F	111
Receptacles near outdoor spas	CF	74	The new TIA/EIA standards: well needed direction	F	117
Is there a difference between AC and DC ampacity?	RQ	70	Figuring multiple elevator loads on a feeder	CF	124
The basics of conductor areas	BB	78	NFPA Board of Directors hears appeal on LWA cable	CW	178
TIA on lightweight armored cable rejected	CW	98			
			JUNE		
MARCH			Reliability depends on good design, installation, maintenance	ED	11
Trade Center blast — they were lucky!	ED	11	Power monitoring and control systems: a generic laundry list	ID	14
Common causes of vibration — Part 2	MF	17	Feeders — Article 215	QC	20
Fire protection engineering and NICET certification	ID	16	Capacitance and resulting resonance	PQ	22
Use and identification of grounded conductors — Article 200	QC	22	Exit light fluorescent retrofit kits: points to consider	WS	32
Beware of corruption of computer signal systems	PQ	26	Common causes of vibration — Part 5	MF	43
New factory sealing methods for hazardous locations, using nonmetallic materials	WS	30	Field proof testing of MV cables	F	49
Update on the new fluorescent ballast designs	F	36	What to ask about electronic ballasts	F	55
Transformer failures: what options do you have?	F	55	The k factor: clearing up its mystery	F	65
Magnetic fields from water pipes	F	63	Transient voltage surge suppressor system serves lab	PM	78
Retrofitting loudspeakers in an existing paging system	F	73	Telecommunications wiring uses "flexible" patch panels	PM	78
Safety switches stand up to tough mine environment	PM	82	Restoring a power system in record time	PM	84
Lighting retrofits gain high marks in Ohio schools' energy conservation program	PM	82	What is the proper capacity for MV drain wire?	RQ	86
Advanced lighting system used in recycled building	PM	84	How can low-voltage switches have better contact?	RQ	86
Hospital cures costly computer crashes with UPS array	PM	84	Are voltage testers blowing up?	RQ	86
UTP cable has 100 Mb/s capability	PM	84	Conductor fill in boxes	CF	88
Medical center uses manufactured cable sets	PM	86	The basics of voltage drop calculations - Part 2	BB	92
Can demand/diversity factors be used to size a generator supply?	RQ	88	New test lab markings	CW	98
Comment: UL does not test devices containing MOVs	RQ	90			
Does Table 310-16 always apply?	CF	92	JULY		
The basics of short-circuit current calculations	BB	98	Developing quality lighting design in an era of energy legislation	ED	11
Draft reinspection code open for comment	CW	122	Lightning, MG sets, and power protection	PQ	16
			Branch circuit and feeder calculations — Article 220	QC	22
APRIL			Beware of inconsistent Code rules on "safe" working space at grouped motor starters	CC	26
Be careful what you ask for	ED	11	Field programming life safety systems	ID	32
Branch circuits — Article 210	QC	16	Circuit breaker designs for LV wye and delta systems	WS	37
Long term power disturbance solutions other than a UPS	PQ	18	Retrofitting aged 35kV switchgear	MF	42
How EPA's "Green Lights" Program works	ID	26	Corrosion protection and the NEC	F	47
Common causes of vibration — Part 3	MF	22	Bringing back the electrical systems at the WTC	F	59
What to know about digital multimeters	WS	32	Temporary cooling equipment—NYC's World Trade Center	PM	62
			Office atrium "activated" with light columns	PM	62

KEY

AT = Applied Technologies • BB = Back To Basics • CC = Code Controversy Corner • CF = Code Forum
 CW = Electrical Code Watch • DS = Data Sheet • ED = Thoughts from our shop • F = Feature Article
 ID = Industry Dimensions • MF = Motor Facts or Maintenance Facts • PM = Practical Methods • PQ = PQ Corner
 QC = Quizzes on the Code • RQ = Readers Quiz • TC = Telecom Corner • WS = What's the Story

Article title

How did peculiar shaped receptacles happen?
Why is SER cable so popular in apartment buildings
Comments: dimmer switches can be wired hot
Normal power in operating rooms
The basics of voltage drop calculations - Part 3
NFPA meeting endorses new National Fire Alarm Code

AUGUST

Energy: a responsible approach to this vital need
Lightning disruption through earth
An overview to the EIA/TIA standards
Plant energy monitoring: new developments and advantages
High heat hurts motors
How to select a cablebus system
Branch-circuit and feeder calculations-Article 220
The how and why of short circuit studies
Reducing electric utility costs
Installing primary and secondary distribution at a major stadium
D.C. design firm puts spotlight on its historic landmark
Retrofitting a MV power distribution system at a military base
How to avoid problems when grounding a standby generator
Routing equipment grounding conductors on MV circuits
The basics of conduit fill calculations
Corrections studied on EMT in earth

SEPTEMBER

"Greening" tomorrow's computers
Services - Article 230
Lightning strikes and traveling waves
Maximum short-circuit protection for motor circuits
Flooded motors: What to do?
Fiberoptic cables for process control
Renovating water-soaked motor control/adjustable speed drives
Multimode glass-in-ceramic FO connections made easy
Dangerous delusions about power system protection
Pulling and installing fiberoptic cable
Servicing solid-state power supplies
Applying voltage surge suppression devices
Monitoring and trouble-shooting capabilities enhance a power distribution and control system
Can HPS ballasts and starters be remote from lamp?
Open conductor clearances from platforms
The basics of vector analysis - Part 1
Electrical standard to look European?

OCTOBER

The demise of 1,1,1
Overcurrent protection - Article 240

Dept Page

RQ 67
RQ 67
RQ 68
CF 70
BB 74
CW 82

ED 11
PQ 16
TC 26
ID 30
MF 34
WS 38
QC 46
F 49
F 53
PM 62
PM 62
PM 62
RQ 64
CF 70
BB 76
CW 90

ED 11
QC 20
PQ 22
CC 30
MF 33
ID 34
WS 38
AT 46
DS 50
F 53
F 65
PM 72
PM 72
RQ 74
CF 76
BB 84
CW 98

ED 11
QC 20

Article title

How harmonics affect power factor - Part 1
The EIA/TIA-568 cabling standard
ADA: It's not just an accessibility issue
U.G. cable fault locating tips and techniques
Choosing the right cable tie
Cold-shrink terminations offer speed and reliability
Heat-shrinkable components and MV insulation
Using enterprise network to increase productivity
Service entrance quandary
Receptacles for kitchen counters
The basics of vector analysis - Part 2
UL looks at 90°C MV terminations

NOVEMBER

Energy saving lighting products - know how to use them!
Conductor Ampacity vs. Conduit Fill - Part 1
How Harmonics Affect Power Factor - Part 2
System Grounding - Article 250
Power monitoring: providing real economic advantages
Basic Motor Control Maintenance Procedures - Part 1
Understanding Type 2 Motor Starter Protection
AFDs Slash Water Company Power Bills
The How and Why of Current-Limiting Reactors
Plug-in wiring allows for maximum flexibility and open-office design
Manufactured cable assembly speeds golf course installation
Will opening of energized main neutral cause damage?
Grounding At Well Casings
Basics of Vector Analysis - Part 3
The baton passes

DECEMBER

Some things work that don't make sense
Equipment grounding and bonding, Article 250
Six-pulse conversion and harmonics—Part 1
What to know about EIA/TIA 606
Understanding UL's LAN cable certification program
Basic motor control maintenance procedures—Part 2
Field removal of moisture from power cables
The 1993 NEC: one year later
Power factor correction with synchronous machines
Transportable transformer gives utility insurance in case of failure
Why does brake control keep burning out?
Comment: it's safer to wire with power off
Protecting service conductors near grade level
Troubleshooting guides for motor controls
The basics of vector analysis—Part 4
NFPA fall meeting ratifies reinspection code

Dept Page

PQ 22
TC 26
ID 32
MF 38
WS 42
F 51
F 61
PM 66
RQ 68
CF 72
BB 76
CW 94

ED 11
CC 16
PQ 20
QC 26
ID 28
MF 30
WS 36
F 45
F 55
PM 62
PM 69
RQ 70
CF 72
BB 74
CW 82

ED 7
QC 12
PQ 14
TC 18
ID 26
MF 28
WS 32
F 37
F 47
PM 58
RQ 64
RQ 64
CF 66
DS 69
BB 70
CW 78

Articles by Subject

Article title

AUTOMATION AND CONTROLS

Can dimmer switches be wired with power on?
Power monitoring and control systems: a generic laundry list
Fiberoptic cables for process control
Monitoring and trouble-shooting capabilities enhance a power distribution and control system
Why does brake control keep burning out?

BUSINESS

How the new Energy Law will affect you
How the new Energy Law affects your motors
Trade Center blast — they were lucky!
Fire protection engineering and NICET certification
Electrical contractor specializes in lighting retrofits
Seminar programs: why you should attend
Selecting and operating aerial work platforms
Ultrasonic detection equipment used by electrical testing and maintenance firm
Developing quality lighting design in an era of energy legislation
"Greening" tomorrow's computers
ADA: It's not just an accessibility issue

CALCULATIONS AND DESIGN

Introductions and definitions—Articles 90 and 100
Choosing the right transformer — Part 4
Paralleled equipment grounding conductors
Basic calculation shortcut

Month Dept Page

JAN RQ 54
JUN ID 14
SEP ID 34
SEP PM 72
DEC RQ 64
JAN ED 7
JAN MF 17
MAR ED 11
MAR ID 16
APR F 43
MAY ED 11
MAY WS 48
MAY PM 84
JUL ED 11
SEP ED 11
OCT ID 32
JAN QC 14
JAN F 43
JAN CF 56
JAN BB 60

Article title

Designing branch circuits for the computer-intensive office
Is there a difference between AC and DC ampacity?
The basics of conductor areas
Use and identification of grounded conductors —Article 200
New factory sealing methods for hazardous locations, using nonmetallic materials
Retrofitting loudspeakers in an existing paging system
UTP cable has 100 Mbps/s capability
Can demand/diversity factors be used to size a generator supply?
Does Table 310-16 always apply?
The basics of short-circuit current calculations
Be careful what you ask for
Branch circuits — Article 210
Long term power disturbance solutions other than a UPS
Avoid the pitfalls of lighting retrofit
Is a 3-pole or 4-pole transfer switch best?
Metering common area circuits
Handy charts simplify short-circuit current determination
Branch circuits — Article 210
The basics of voltage drop calculations - Part 1
Figuring multiple elevator loads on a feeder
What is the proper capacity for MV drain wire?
Conductor fill in boxes
The basics of voltage drop calculations - Part 2
Developing quality lighting design in an era of energy legislation
Branch circuit and feeder calculations — Article 220

Month Dept Page

FEB F 35
FEB RQ 70
FEB BB 78
MAR QC 22
MAR WS 30
MAR F 73
MAR PM 84
MAR RQ 88
MAR CF 92
MAR BB 98
APR ED 11
APR QC 16
APR PQ 18
APR F 59
APR RQ 68
APR CF 72
APR BB 78
MAY QC 20
MAY BB 90
MAY CF 124
JUN RQ 86
JUN CF 88
JUN BB 92
JUL ED 11
JUL QC 22

Article title	Month	Dept	Page	Article title	Month	Dept	Page
Power quality, how bad is bad?	FEB	WS	26	Choosing the right transformer — Part 4	JAN	F	43
Common causes of vibration — Part 2	MAR	MF	17	Who do you believe?	FEB	ED	7
Transformer failures: what options do you have?	MAR	F	55	Is there a difference between AC and DC ampacity?	FEB	RQ	70
Retrofitting loudspeakers in an existing paging system	MAR	F	73	Safety switches stand up to tough mine environment	MAR	PM	82
Draft reinspection code open for comment	MAR	CW	122	Can demand/diversity factors be used to size a generator supply?	MAR	RQ	88
Common causes of vibration — Part 3	APR	MF	22	Long term power disturbance solutions other than a UPS	APR	PQ	18
What to know about digital multimeters	APR	WS	32	Testing reveals surprising kfactor diversity	APR	F	51
Electrical contractor specializes in lighting retrofits	APR	F	43	The how and why of k-rated transformers	MAY	F	79
Infrared scanning key to Telco preventive maintenance program	APR	PM	64	The k factor: clearing up its mystery	JUN	F	65
Integrated monitoring, protection, and control system detects problems at West Coast aircraft plant	APR	PM	64	Restoring a power system in record time	JUN	PM	84
Common causes of vibration — Part 4	MAY	MF	32	What is the proper capacity for MV drain wire?	JUN	RQ	86
Selecting and operating aerial work platforms	MAY	WS	48	Lightning, MG sets, and power protection	JUL	PQ	16
Winning the lightning retrofit game	MAY	F	65	Circuit breaker designs for LV wye and delta systems	JUL	WS	37
Solid-state starters prevent motor burnout from single phasing	MAY	MF	84	Retrofitting aged 35kV switchgear	JUL	MF	42
Ultrasonic detection equipment used by electrical testing and maintenance firm	MAY	PM	84	Normal power in operating rooms	JUL	CF	70
Reliability depends on good design, installation, maintenance	JUN	ED	11	How to select a cablebus system	AUG	WS	38
Exit light fluorescent retrofit kits: points to consider	JUN	WS	32	The how and why of short circuit studies	AUG	F	49
Common causes of vibration — Part 5	JUN	MF	43	Installing primary and secondary distribution at a major stadium	AUG	PM	62
Field proof testing of MV cables	JUN	F	49	Retrofitting MV power distribution system at a military base	AUG	PM	62
How can low-voltage switches have better contact?	JUN	RQ	86	Routing equipment grounding conductors on MV circuits	AUG	CF	70
Retrofitting aged 35kV switchgear	JUL	MF	42	Dangerous delusions about power system protection	SEP	DS	50
Corrosion protection and the NEC	JUL	F	47	Overcurrent protection - Article 240	OCT	QC	20
High heat hurts motors	AUG	MF	34	Power monitoring: providing real economic advantages	NOV	ID	28
Flooded motors: What to do?	SEP	MF	33	Understanding Type 2 Motor Starter Protection	NOV	WS	36
Renovating water-soaked motor control/adjustable speed drives	SEP	WS	38	The How and Why of Current-Limiting Reactors	NOV	F	55
Dangerous delusions about power system protection	SEP	DS	50	Will opening of energized main neutral cause damage?	NOV	RQ	70
Servicing solid-state power supplies	SEP	F	65	Power factor correction with synchronous machines	DEC	F	47
U.G. cable fault locating tips and techniques	OCT	MF	38				
Basic Motor Control Maintenance Procedures - Part 1	NOV	MF	30	SPECIFICATIONS AND STANDARDS			
Understanding Type 2 Motor Starter Protection	NOV	WS	36	New power quality consensus standard	FEB	PQ	14
Basic motor control maintenance procedures—Part 2	DEC	MF	28	Comment: UL does not test devices containing MOVs	MAR	RQ	90
Field removal of moisture from power cables	DEC	WS	32	Where is data on low-voltage DC components?	MAY	RQ	86
Why does brake control keep burning out?	DEC	RQ	64	The new TIA/EIA standards: well needed direction	MAY	F	117
Troubleshooting guides for motor controls	DEC	DS	69	New test lab markings	JUN	CW	98
				NFPA meeting endorses new National Fire Alarm Code	JUL	CW	82
				ANSI approves ANSI A31A standard	AUG	TC	25